



Video Conferencing



UVC30 YEASTER-121 Desktop 4K Camera (Room)

- 4K/ 30FPS
- 3x digital zoom
- 20° field of view
- Auto-framing option
- 3m USB cable

BND 449 (Promo Price)



Plug & Play

CP700 YEASTER-107

Compact Speakerphone

- 1-4 users
- Connectivity: USB 2.0 & Bluetooth
- Touch Buttons: Power, Bluetooth, Call answer, Call hangup, Volume up, Volume down, Mute, Voice assistant/Teams
- Charging time: 3 hours
- Talk time: 10 hours
- Mic pickup range: 5 feet / 1.5m
- Optima HD voice
- Acoustic echo cancellation (AEC)
- Noise suppression (NS)

BND 252 (Promo Price)



Compact Speakerphone

- 1-6 users
- Connectivity: USB 2.0 & Bluetooth
- Touch Buttons: Power, Bluetooth, Call answer, Call hangup, Volume up, Volume down, Mute, Voice assistant/Teams
- Charging time: 3 hours
- Talk time: 12 hours
- Mic pickup range: 6.5 feet / 2m
- Optima HD voice
- Acoustic echo cancellation (AEC)
- Noise suppression (NS)



*Prices are subject to change without prior notice. Terms and conditions apply. *Product images are for illustration purposes only.



Yealink



CP960 YEASTER-66

Conference Phone

- Optima HD voice, full duplex technology
- 20-foot (6m) and 360-degree voice pickup
- 5" 720*1280-pixel multi-touch screen
- Built in 3-microphone array
- Android 5.1 OS
- IEEE 802.3af PoE
- 5-way audio conferencing
- Built-in 2.4G/5G Wi-Fi
- Built-in Bluetooth 4.0
- Connect to PC via micro USB
- Support call recording

BND 1099







Video Conferencing

Bring Your Own Device (BYOD) Medium Size Rooms



UVC40 YEASTER-129 All-In-One USB Video Bar

- 4K/ 30FPS
- 3x digital zoom
- 133° field of view
- Auto-framing option
- 3m USB cable

BND 2460



UVC84-BYOD-050 YEASTER-160, 161, 162

Meeting Kit for Medium-Sized Room

- UVC84 camera with 4K video
- 12x optical zoom & Auto-Framing
- 1 x MSpeech speakerphone, with 6m mic pickup range
- 1 x BYOD box

BND 2985



UVC84 YEASTER-130 **PTZ Camera**

- 4K video
- Auto Framing
- 12x optical zoom
- 30FPS
- 73° Field of View
- 1 x USB2.0 Type-B port
- 1 x Remote control

BND 1998



UVC84-BYOD-210 YEASTER-163, 165, 166

Meeting Kit for Large-Sized Room

- UVC84 camera with 4K video
- 12x optical zoom & Auto-Framing
- 1 x MSpeaker II soundbar
- 2 x VCM34 Video Conferencing Mic Array

BND 3535



Yealink

Video Conferencing



MVC800 YEASTER-171

Microsoft Teams Room System

- 1 x Mini PC & cable management box
- 1 x MTouch touch console
- 1 x MShare for content sharing
- 1 x UVC84 camera with 4K video & Auto-Framing
- 2 x VCM34 Video Conferencing Mic Array
- 1 x MSpeaker soundbar

BND 5135





Microsoft Teams Version

Medium to Large-Sized Rooms



A20-021 YEASTER-172

Teams Collaboration Bar for Small Rooms

- 20MP, 4K video
- FOV: 120° Zoom: 8X digital
- Built-in speaker
- Full duplex with built in 8 MEMS microphones
- Auto Framing/Speaker Tracking
- Android 10
- BYOD adaptor
- CTP18 Touch Console with 8-inch touchscreen

BND 4735

A30-021 YEASTER-173

Teams Collaboration Bar for Medium Rooms

- Dual-camera system
- Camera 1 : 8MP / 90° / 3.5X optical PTZ * 3X digital Camera 2 : 8MP / 120° / 4X digital
- 2 x Built-in speaker
- Full duplex with built in 8 MEMS microphones
- Auto Framing/Speaker Tracking
- Android 10
- BYOD adaptor
- CTP18 Touch Console with 8-inch touchscreen

BND 6245

*Prices are subject to change without prior notice. Terms and conditions apply. *Product images are for illustration purposes only.



Kandao Meeting S BND 1115 (Kandao-03)

Ultra-Wide 180° Standalone Video Conference Camera

Kandao Meeting S is a 180-degree standalone video conference camera with a built-in operating system. Negates the need for an external computer. Integration of professional 180° video, full-duplex audio system with eight-microphone array and Hi-Fi speaker, and Kandao Meeting 3.0 AI algorithm, Kandao Meeting S provides an efficient and great experience in hybrid meeting.



180° Camera

Omni-Directional Mics

Astounding Sound



Intelligent AI Algorithm

KANDA0



1080P or 720P Resolution





S S S For

Standard 1/4" Screw Hole

Support External

Micro SD Card

For Recording Local Meeting

Kandao Meeting Pro BND1595 (Kandao-01)

Push Past the Limitation with Four-in-One Design

Kandao Meeting Pro is an Al-based 360° video conferencing device equipped with a 360-degree lens, an omni-directional audio system, a Hi-Fi speaker, and a built-in Android system. It is designed to be a four-in-one solution, making it a powerful solution for video conferencing



360° Camera

Omni-Directional Mics









360° Meeting

Detailed image processing with 360° image capture, seamless optical flow stitching, noise reduction, wide dynamic range, exposure compensation, and automatic white balance.

Hi-Fi Speaker

Upgraded Omni-directional Audio System

8 microphones are improved to achieve finest audio quality, which can cover range to 5.5 meters radius. Collect sound with beamforming, echo cancellation, noise reduction, and howling suppression.







Excellent Connectivity and Interaction

Equipped with Wi-Fi, Ethernet LAN Port, USB, and HDMI, Kandao Meeting Pro is flexible enough to connect with a large variety of conferencing equipment.





Bluetooth Remote Control



Support External microSD Card

logitech GROUP

Video conferencing for mid to large-sized meeting rooms



Full HD Camera Quality



10x Lossless Optical Zoom



Smooth Motorized Pan and Tilt RightSense™

∦

AI Technology

4 Omnidirectional

Microphones

Connectivity

Bluetooth

Camera: Pan +/- 90° Tilt +35° / -45

Microphones:

Pickup Range: 6 m Four omnidirectional beamforming microphones

Field of View: Diagonal: 90° Horizontal: 82.1° Vertical: 52.2°

Remote Control: Camera, speakerphone & call control 5 camera presets Docks on speakerphone

Speakerphone:

Acoustic echo cancellation Noise reduction technology Ultra-wideband audio Pairs with mobile devices via Bluetooth & NFC LCD for caller ID, call duration and other

logitech RALLY/RALLY PLUS available for pre-order

riorion

HC-PRO BND 725 (Horion-10)

Camera for teleconference with remote control.

- Resolution Sensor Lens **Horizontal Field of View Horizontal Rotation Range Vertical Rotation Range**
- 1080P, 5MP 1/2.8" CMOS 10X Optical Zoom + 12X DigitalZoom 62.5° ±170° -30° ~ +90°



PUS HD320P BND 1197 (Puas-05)

Sensor

Lens

Broadcasting Grade video PTZ camera with advanced video image processing technology and HD CMOS Sensor with multiple video output formats.



PUAS

1080P/ 60fps, 2.38MP 1/2.8" CMOS 20x Optical Zoom 65° ±178° -30° ~ +90° **255 Preset Positions** Table, Wall (w/ bracket) & Tripod