



UBIQUITI
N E T W O R K S




UniFi Access Point

AC Lite (Indoor)
2.4/5 GHz: 300/867 Mbps
2.4/5 GHz MIMO: 2x2
PoE/24V Passive PoE
1 x 1GbE RJ45 Ethernet
BND 168 (Ubiquiti-51)

AC Pro (Indoor/Outdoor)
2.4/5 GHz: 450/1300 Mbps
2.4/5 GHz MIMO: 3x3
PoE/48V Passive PoE
2 x 1GbE RJ45 Ethernet
BND 292 (Ubiquiti-24)

nanoHD (Indoor)
2.4/5 GHz: 300/1733 Mbps
2.4/5 GHz MIMO: 2x2/4x4
PoE/48V Passive PoE
1 x 1GbE RJ45 Ethernet
200+ Users
BND 332 (Ubiquiti-61)

U6 Lite  (Indoor)
2.4/5 GHz: 300/1201 Mbps
2.4/5 GHz MU-MIMO: 2x2
PoE/48V Passive PoE
1 x 1GbE RJ45 Ethernet
BND 258 (Ubiquiti-85)

U6 Pro  (Indoor)
2.4/5 GHz: 573.5/4800 Mbps
2.4/5 GHz MU-MIMO: 2x2/4x4
PoE/48V Passive PoE
1 x 1GbE RJ45 Ethernet
BND 350 (Ubiquiti-108)

AC HD (Indoor/Outdoor)
2.4/5 GHz: 800/1733 Mbps
2.4/5 GHz MU-MIMO: 4x4
PoE/48V Passive PoE
2 x 1GbE RJ45 Ethernet, 1 x USB-C
500+ Users
BND 638 (Ubiquiti-63)

UA-SK Access Starter Kit



1 x Access Hub
1 x Access Reader Pro
1 x Access Reader Lite
20 x UniFi Access Cards

BND 1127 (Ubiquiti-93)



UA-Pro Door Access Reader Pro

Premium NFC and Bluetooth reader
802.3af PoE powered by UniFi Access Hub
Advanced NFC credentials: MIFARE DESFire
High resolution touchscreen & integrated camera
Built-in security element chip

BND 683 (Ubiquiti-94)



UA-Lite Access Reader Lite

1 x 10/100 Mbps Ethernet
Power: 802.3af PoE
IP54 rating
NFC

BND 240 (Ubiquiti-96)



UA-Card Access Card

Secure NFC card for use with UniFi Access solution
Each pack includes 20 UA-Cards

BND 109 (Ubiquiti-95)

UniFi Access Point




FlexHD (Indoor/Outdoor)
2.4/5 GHz: 300/1733 Mbps
PoE/48V Passive PoE
1 x RJ45 Ethernet
Tabletop, Wall, Pole Mounting
Brackets Included
BND 368 (Ubiquiti-80)



AC In-Wall (Indoor)
2.4/5 GHz: 300/867 Mbps
PoE/48V Passive PoE
PoE+ Supported
3 x RJ45 Ethernet
Signal transmission range up to 100m
BND 195 (Ubiquiti-26)



AC Mesh (Indoor/Outdoor)
2.4/5 GHz: 300/867 Mbps
PoE/24V Passive PoE
Wall/Pole/Fast-mount Included
1 x RJ45 Ethernet
2 x Dual-band antennas
BND 214 (Ubiquiti-35)



AC Mesh PRO (Outdoor)
2.4/5 GHz: 450/1300 Mbps
PoE/48V Passive PoE
Wall/Pole Mounting (Pole kit Included)
2 x RJ45 Ethernet
Signal transmission range up to 100m
BND 367 (Ubiquiti-09)

UniFi Switch



USW-Flex Mini

1 x GbE, PoE RJ45 input
4 x GbE, RJ45 ports
Power Supply:
USB Type C / PoE/PoE+

BND 146 (Ubiquiti-79)



USW-Flex 5-Port

1 x GbE, PoE++ RJ45 input
4 x GbE, PoE+ RJ45 ports
Up to a 46W total PoE supply

BND 285 (Ubiquiti-81)



USW-Lite 8-PoE

4 x GbE, PoE+ RJ45 ports
4 x GbE, RJ45 ports
52W total PoE supply
Wall-mountable (kit included)

BND 262 (Ubiquiti-104)



USW-Lite 16-PoE

8 x GbE, PoE+ RJ45 ports
8 x GbE, RJ45 ports
45W total PoE supply
Wall-mountable (kit included)

BND 462 (Ubiquiti-105)



US-8 PoE (60W)

4 x GbE RJ45 ports
4 x GbE, PoE RJ45 ports
Non-Blocking Throughput: 8 Gbps
Switching Capacity: 16 Gbps
48W total PoE supply

BND 297 (Ubiquiti-28)



US-8 PoE (150W)

8 x GbE, PoE+, 24V PoE RJ45 ports
2 x 1G SFP ports
Non-Blocking Throughput: 10 Gbps
Switching Capacity: 20 Gbps
130W total PoE supply

BND 459 (Ubiquiti-21)



US-16 PoE (150W)

16 x GbE, PoE+, 24V PoE RJ45 ports
2 x 1G SFP ports
Non-Blocking Throughput: 18 Gbps
Switching Capacity: 36 Gbps
122W total PoE supply

BND 635 (Ubiquiti-11)



US-16-XG

12 x 10G SFP+ ports
4 x 10GbE RJ45 ports
1 x RJ45 Serial Console Port
Non-Blocking Throughput: 160 Gbps
Switching Capacity: 320 Gbps
1 x DC Input

BND 1137 (Ubiquiti-73)



USW-24

24 x GbE RJ45 ports
2 x 1G SFP ports
Non-Blocking Throughput: 26 Gbps
25W Max Power Consumption
1.3" LCM color touchscreen with AR
switch management

BND 457 (Ubiquiti-69)



US-24 PoE (250W)

24 x GbE, PoE+, 24V PoE RJ45 ports
2 x 1G SFP ports
Non-Blocking Throughput: 26 Gbps
Switching Capacity: 52 Gbps
250W total PoE supply

BND 835 (Ubiquiti-59)



USW-24 PoE

16 x GbE, PoE+ RJ45 ports
8 x GbE, RJ45 ports
1 x 1G SFP ports
95W total PoE supply
1.3" LCM color touchscreen with AR
switch management

BND 860 (Ubiquiti-103)



USW-Pro-24 PoE

16 x GbE, PoE+ RJ45 ports
8 x GbE, PoE++ RJ45 ports
2 x 10G SFP+ ports
Non-Blocking Throughput: 44 Gbps
Switching Capacity: 88 Gbps
400W total PoE supply
1 x USP RPS DC input for power redundancy

BND 1312 (Ubiquiti-77)



USW-Enterprise-24 PoE

12 x 2.5GbE, PoE+ RJ45 ports
12 x GbE, PoE+ RJ45 ports
2 x 10G SFP ports
400W total PoE supply
1 x USP RPS DC input for power redundancy
1.3" LCM color touchscreen with AR
switch management

BND 1792 (Ubiquiti-101)



USW-Pro-48

48 x GbE, PoE+ RJ45 ports
4 x 1G SFP ports
1 x USP RPS DC input for power redundancy
1.3" LCM color touchscreen with AR
switch management

BND 1349 (Ubiquiti-102)



USW-48 PoE

32 x GbE, PoE+ RJ45 ports
16 x GbE, RJ45 ports
4 x 1G SFP ports
195W total PoE supply
1.3" LCM color touchscreen with AR
switch management

BND 1328 (Ubiquiti-106)



ToughSwitch-5 POE

5 x GbE, PoE RJ45 ports
1 x Management Port
1 x USB 2.0 Type A Port
Power Input: 24VDC, 2.5A
Power Adapter (Included)

BND 268 (Ubiquiti-41)



US-48 (500W)

48 x GbE, PoE+, 24V PoE RJ45 ports
2 x 1G SFP ports
2 x 10G SFP+ ports
Non-Blocking Throughput: 70 Gbps
Switching Capacity: 140 Gbps
500W total PoE supply

BND 1569 (Ubiquiti-13)



USW-Pro-48 PoE

40 x GbE, PoE+ RJ45 ports
8 x GbE, PoE++ RJ45 ports
4 x 10G SFP+ ports
Non-Blocking Throughput: 88 Gbps
Switching Capacity: 176 Gbps
600W total PoE supply
1 x USP RPS DC input for power redundancy

BND 2072 (Ubiquiti-78)



USW-Industrial 10-Port

8 x GbE, PoE++ RJ45 ports
2 x GbE, RJ45 ports
Non-Blocking Throughput: 10 Gbps
Switching Capacity: 20 Gbps
430W total PoE supply
Die-cast aluminum with black powder
coated finish

BND 1080 (Ubiquiti-82)

UniFi Router



Security Gateway

3 x GbE, RJ45 ports
1 x RJ45 Serial Port
Layer 3 Forwarding Performance:
Packet Size: 64 Bytes, 1,000,000 pps
Packet Size: 512 Bytes or Larger,
3 Gbps (Line Rate)

BND 295 (Ubiquiti-27)



Security Gateway Pro-4

2 x GbE, RJ45 ports
2 x 1G SFP ports
1 x RJ45 Serial Port
Layer 3 Forwarding Performance:
Packet Size: 64 Bytes, 2,400,000 pps
Packet Size: 512 Bytes or Larger,
4 Gbps (Line Rate)

BND 599 (Ubiquiti-06)



EdgeRouter (8-Port)

8 x GbE, RJ45 ports
1 x RJ45 Serial Port
Layer 3 Forwarding Performance:
Packet Size: 64 Bytes, 2,000,000 pps
Packet Size: 512 Bytes or Larger,
8 Gbps (Line Rate)

BND 668 (Ubiquiti-08)

Network Video Recorder



Cloud Key Gen 2+

1TB 2.5" SATA HDD (user-upgradeable)
Up to 15 UniFi Cameras and 50 UniFi Devices
eMMC Memory: 32 GB
1 x 1GbE RJ45 port

BND 456 (Ubiquiti-67)



UVC-NVR-2TB

Intel J1800 processor
4 GB memory
2 TB Hard Drive Capacity
1 x 1GbE RJ45 port

BND 199 (Ubiquiti-58)

OS Console



Dream Machine

2.4/5 GHz: 300/1700 Mbps

4 x LAN: GbE RJ45 ports

1 x WAN: GbE RJ45 port

Advanced network security (content filtering, internet threat management, deep packet inspection)

Pre-installed UniFi Network application

BND 681 (Ubiquiti-86)



Dream Machine Pro

IDS/IPS Throughput: 3.5 Gbps

8 x LAN: GbE RJ45 ports

1 x WAN: GbE RJ45 port

1 x LAN: 10G SFP+

1 x WAN: 10G SFP+

1 x 3.5" HDD bay

Threat management and traffic/client identification

BND 870 (Ubiquiti-76)

CCTV



G3-Micro

1080p Full HD, 30 FPS

EFL 2.7 mm, *f*/2.2

Dual-Band Wi-Fi

802.3af PoE

Mic and Speaker for Two-Way Audio

Permanent Mount: Wall or Ceiling

Temporary Mount: Magnetic or

Table Stand

BND 405 (Ubiquiti-56)



G3-AF

1080p Full HD, 30 FPS

EFL 3.6 mm, *f*/1.8

Outdoor Weather Resistant

802.3af PoE or 24V Passive PoE

Built-in Microphone

Wall, Ceiling, or Pole Mount

BND 259 (Ubiquiti-57)



G3-FLEX

1080p Full HD, 25 FPS

EFL 4 mm, *f*/2.0

802.3af PoE

Built-in Microphone

Desktop, Wall or Pole Mount

Adjustable lens and swivel base

BND 205 (Ubiquiti-66)

Antenna



airMAX AC 5 GHz, 21 dBi, 60° Sector Antenna

Frequency: 5.15 – 5.85 GHz
Gain: 21 dBi
HPOL Beamwidth: 60° (6 dB)
VPOL Beamwidth: 60° (6 dB)
Elevation Beamwidth: 4°
Electrical Downtilt: 2°
Max. VSWR: 1.5:1
Polarization: Dual Linear
BND 561 (Ubiquiti-46)



Frequency: 5.15 – 5.85 GHz
Gain: 19.4 – 20.3 dBi
HPOL Beamwidth: 91° (6 dB)
VPOL Beamwidth: 85° (6 dB)
Elevation Beamwidth: 4°
Electrical Downtilt: 2°
Max. VSWR: 1.5:1
Polarization: Dual Linear
BND 561 (Ubiquiti-45)



airMAX AC CPE LiteBeam AC Gen 2

23 dBi Gain
1 x 10/100/1000 Ethernet Port
MIPS 74Kc processor
64 MB DDR2 Memory
BND 222 (Ubiquiti-33)



airMAX Carrier Class 2x2 PtP Bridge Dish Antenna

Frequency: 5.1 – 5.8 GHz
Gain: 31 dBi
Max. VSWR: 1.4:1
Polarization: Dual Linear
BND 718 (Ubiquiti-49)



airMAX AC Radio Basestation with Airprism

1 x 10/100/1000 Ethernet Port
2 x RP-SMA (Waterproof)
1 x GPS* (Waterproof)
Atheros MIPS 74Kc Processor
128 MB DDR2 SDRAM Memory
WPA2 AES
BND 559 (Ubiquiti-30)

Accessories




CRM-P Point
BND 168 (Ubiquiti-52)

Securely runs the U CRM Control™ software on your local network. Plug and Play Installation with Any Switch or Router. Scalable to 100's of devices.



Optical Data Transport for Outdoor POE DEVICE F-POE-G2
BND 88 (Ubiquiti-75)

The FiberPoE™ connects remote PoE devices and provides data and power using fiber and DC cabling.



UF-SM-1G-S Fiber Single-Mode SFP Transceiver
BND 118 (Ubiquiti-50)

Use single-mode LC FiberCable™ to build your outdoor fiber network. Lightweight and flexible, FiberCable is ideal for tower installs of our outdoor routing and switching products, such as EdgePoint™ devices.

Accessories



24V passive POE adapter for
UAP-AC-Lite POE-24-12W

BND 25 (Ubiquiti-22)



Gigabit PoE Adapter
(48V, 0.5A) POE-48-24W-G

BND 45 (Ubiquiti-23)



UF-MM-1G Multi- Mode LC to
850NM 550M SFP Transceiver

BND 55 (Ubiquiti-53)



UF-MM-10G, Multi-Mode LC to
LC 880NM 300M Distance

BND 211 (Ubiquiti-54)



Instant 802.3AF Outdoor
48V POE Adaptor

BND 80 (Ubiquiti-74)